

C-HM/HM/FLAT/ETH

Flat HighSpeed HDMI Cable with Ethernet

| HDMI | 4K/60 UHD (4:2:0) | 4K/60 UHD (4:4:4)



Kramer's CHM/HM/FLAT/ETH highspeed flat HDMI cable with Ethernet is designed for "invisible" and long distance installations. It routes through the wall, under the carpet, around corners and behind the entertainment system with ease. The flat design of the cable renders it unobtrusive. It supports resolutions up to 4K@60Hz (4:4:4)

FEATURES

Quality Construction - Constructed from flexible flat cable structured to have less crosstalk and interference than with traditional round HDMI cables

High Resolution - Up to 4K@60Hz (4:4:4)

High-Quality Connectors - Goldplated connectors resist corrosion, cut down on impedance and offer the best possible connectivity

K-Lock Pull-Resistant Connectors - Provides 15lbs of restraining force for a nonslip connection Varied Selection of Lengths - Available in versions of 0.9 to 22.9m (3, 6, 10, 15, 25, 35, 50 and 75ft)



TECHNICAL SPECIFICATIONS

TYPE: Highspeed HDMI cable

RESOLUTIONS SUPPORTED:

480i, 480p, 720p, 1080i, 1080p

CONDUCTOR AWG: 310ft cables use 28 AWG (7/0.127); 15 & 25ft use 26 AWG (7/0.2); 35, 50 & 75ft

use 24 AWG (7/0.2)

SHIELD: Dual overall shield against EMI/RFI interference, (a) Al Mylar

CABLE OD (MM): 310ft: 3.0 x 13 mm; 15 & 25ft: 3.8 x 17mm; 35, 50 & 75ft: 4.2 x 18.6mm

MOLDED

CONNECTORS:

Yes

GOLD-PLATED CONNECTORS: Yes

HDCP COMPLIANT:

Yes

FLAME TEST:

CL2



CONFIGURATIONS

C-HM/HM/FLAT/ETH-	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH-	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH- 10	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH- 15	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH- 25	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH- 35	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH- 50	HighSpeed HDMI (M-M) Flat Cable with Ethernet
C-HM/HM/FLAT/ETH-	HighSpeed HDMI (M-M) Flat Cable with Ethernet