

# SMS RAPID



## Ready for the exhibition in one click

Do you need to mount a videowall quickly? And do you need to dismount it just as quickly, in order to transport it for use at the next event or by next customer? If so, the SMS Rapid is just what you're looking for.

- You choose the display size that you use most often: 46" or 55". This is delivered in modules designed for 3 x 2 displays in a functional transport crate.
- You can then base your videowall on the easily mounted modules, and create walls of dimension 1 x 1, 1 x 2, 2 x 1, 2 x 2, 3 x 1, 3 x 2 displays.
- The various parts are easy to mount using rapid-release eccentric locks.
- The modules make it easy to align the displays exactly. All four corners of the displays can be separately adjusted in depth, and the heights can be adjusted precisely. The displays can also be moved horizontally, depending on their size.
- And all this without requiring special tools!
- Maximum weight of each display: 40 kg. Finish: Aluminium/anthracite grey.

## QUESTIONS AND ANSWERS:

**Is it possible to adjust the displays after they have been mounted?**

- Yes, fine adjustments can be made both in height and depth. The heights of the feet can also be adjusted.

**How does transport of the product work?**

- The SMS Rapid is delivered and stored in a practical specially designed wooden crate, with space for all components.

**INFO**

- Finish: Aluminium/anthracite grey
- Recommended display size: 46" or 55"
- Maximum weight per display: 40 kg
- Minimum VESA: 200 x 200
- Maximum VESA: 800 x 400
- Maximum display width:  
46" - approximately 1030 mm, 55" - approximately 1215 mm
- Minimum display width:  
46" - approximately 1010 mm, 55" - approximately 1100 mm  
(The maximum size may depend on the VESA hole pattern.  
Contact support@smartmediasolutions.se if you have any questions.)
- Adjustable in depth at all four corners, horizontally and vertically.
- Locking: can be locked with the accompanying locking pin or with a padlock (not included), to increase personal safety and security from theft.
- The heights of the feet can be adjusted.
- The product is delivered in an attractive and practical wooden crate. Dimensions of the crate: W 80 x D 60 x H 145 cm.



*Eccentric lock for quick and easy assembly.*

**ART. NO.**

RP031050

RP031051

**DESCRIPTION**

SMS Rapid 3x2 - 46 inch

SMS Rapid 3x2 - 55 inch


**NB!**

The RP031050, SMS Rapid 3 x 2 - 46 inch, makes it possible to build all other configurations for 46" displays.

The RP031051, SMS Rapid 3 x 2 - 55 inch, makes it possible to build all other configurations for 55" displays.



*The product is delivered in an attractive and practical wooden crate.*



A006106\_A, A006103\_A We reserve the right to introduce changes in the product specifications after the printing and publication of this document.